

**ADDENDUM 1
TO THE CONTRACT PROVISIONS AND CONTRACT PLANS**

FOR

**CITY OF ELECTRIC CITY
2019 STREET IMPROVEMENTS
G&O #18004/18058/18062**



ISSUED THIS DATE: WEDNESDAY, JUNE 19, 2019

**BID OPENING: 11:00 AM (LOCAL TIME) ON
WEDNESDAY, JUNE 26, 2019
CITY OF ELECTRIC CITY
10 WESTERN AVENUE
ELECTRIC CITY, WASHINGTON 99123**

Bidder shall acknowledge receipt of this Addendum on Page P-12R of the Proposal.

TO PROSPECTIVE BIDDERS:

The attention of all prospective bidders on the above project is directed to the following additions and modifications to the Contract Provisions and Contract Plans.

I. ADDITIONS, MODIFICATIONS, AND/OR DELETIONS TO THE PROPOSAL

ITEM 1:

Page P-1 through P-13, Proposal

DELETE the Proposal (pages P-1 through P-13) in its entirety and **REPLACE** with the attached Proposal (pages P-1R through P-13R). *Changes include:*

- 1. Adding new bid items;*
- 2. Quantity revisions*

II. ADDITIONS, MODIFICATIONS, AND/OR DELETIONS TO THE SPECIAL PROVISIONS

ITEM 2:

Page 5-33, Special Provisions Section 5-04.4, Measurement

REVISE the text in the second paragraph of this section as shown below (added text is italicized):

“Commercial HMA Pavement Repair, *Type ____* will be measured by the square yard.”

ITEM 3:

Page 5-35, Special Provisions Section 5-04.5, Payment

REVISE the text in the second and third paragraph on this page as shown below (added text is italicized):

““Commercial HMA Pavement Repair, *Type ___*”, per square yard.

The unit price per square yard for “Commercial HMA Pavement Repair, *Type ___*” shall include all costs for excavation; removal and disposal of surplus excavated materials; shaping and compacting subgrade materials; furnishing, placing and compacting crushed surfacing materials; furnishing, placing and compacting commercial hot mix asphalt; sand sealing all joints, and testing.”

III. ADDITIONS, MODIFICATIONS, AND/OR DELETIONS TO THE CONTRACT PLANS

ITEM 4:

SHEET 7, PLAN & PROFILE – STA 200+00 TO STA 204+00 & STA 500+00 TO STA 501+20 – SCH A

At STA 102+00, 14’ RT, **ADD** the following call-out to the existing water main pipe:

“12 PVC”

ITEM 5:

SHEET 8, TYPICAL SECTIONS – SCH A

On the TYPICAL SECTION – GRAND AVE – KENT ST TO WESTERN AVE, **REVISE** both callouts to the GRAVEL PARKING 8'-0" areas as shown below (added text is italicized, deleted text is shown as strike out):

~~“4" COMPACTED DEPTH CRUSHED SURFACING BASE COURSE
CRUSHED SURFACING REPAIR, SEE DETAIL”~~

ITEM 6:

SHEET 19, WATER SERVICE PLAN – SCH C

At STA 405+00, 11’ RT, **ADD** the following call-out to the existing water main pipe:

“12 PVC”

ITEM 7:

SHEET 8, TYPICAL SECTION – SCH B

On the TYPICAL SECTION – COULEE BLVD & WESTERN/STEVENS AVE, **REVISE** the callout to the gravel material under the 3'-0" HMA area as shown below (added text is italicized, deleted text is shown as strike out):

~~“12" COMPACTED DEPTH CRUSHED SURFACING BASE COURSE~~
COMMERCIAL HMA PAVEMENT REPAIR, TYPE 1, SEE DETAIL”

ITEM 8:

SHEET 27, MISCELLANEOUS DETAILS

On the “INFILTRATION TRENCH” detail, **DELETE** the “PERFORATION PATTERN” portion of the detail.

ITEM 9:

SHEET 27, MISCELLANEOUS DETAILS

On the “INFILTRATION TRENCH” detail, **REVISE** the callout on the “SIDE VIEW” portion of the detail as shown below (added text is italicized, deleted text is shown as strike out):

~~“18" PERFORATED CPEP STORM PIPE. SEE DETAIL FOR~~
~~PERFORATION PATTERN~~
PERFORATION PATTERN SHALL
CONSIST OF TWO ROWS OF HOLES 1/2-IN DIA, 5-IN OC WITH 120°
ANGLE APART. PIPE SHALL BE INSTALLED WITH PERFORATION
ROWS CENTERED ON BOTTOM OF PIPE.”

ITEM 10:

SHEET 28, MISCELLANEOUS DETAILS

DELETE the entire Sheet and **REPLACE** with the attached Sheet 28R.

2019 STREET IMPROVEMENTS

PROPOSAL

City of Electric City
10 Western Avenue
Electric City, Washington 99123

The undersigned has examined the Work site(s), local conditions, the Contract, and all applicable laws and regulations covering the Work. The following unit and lump sum prices are tendered as an offer to perform the Work in accordance with all of the requirements set forth in the Contract and all applicable laws and regulations.

As required by the Contract, a postal money order, certified check, cashier's check or Proposal bond made payable to the Owner is attached hereto. If this Proposal is accepted and the undersigned fail(s) or refuse(s) to enter into a contract and furnish the required performance bond, labor and material payment bond, special guarantee bonds (if required), required insurance and all other required documentation, the undersigned will forfeit to the Owner an amount equal to five percent of the Proposal amount.

After the date and hour set for submitting the Proposals, no bidder may withdraw its Proposal, unless the Award of the contract is delayed for a period exceeding 60 consecutive calendar days.

The undersigned agrees that in the event it is Awarded the contract for the Work, it shall employ only Contractors and Subcontractors that are duly licensed by the State of Washington and remain so at all times they are in any way involved with the Work.

The undersigned agrees that the Owner reserves the right to reject any or all Proposals and to waive any minor irregularities and informalities in any Proposal.

The undersigned agrees that the Owner reserves the right to Award the Contract to the lowest responsible, responsive bidder whose Proposal is in the best interest of the Owner. The basis of award shall be the lowest, responsive, responsible bidder for Schedule A, Schedule B, and Schedule C; or Schedule A, Schedule B, Schedule C, and Schedule D as available funding allows and as it best serves the interests of the Contracting Agency.

ADDENDUM 1**SCHEDULE A: GRAND AND WESTERN IMPROVEMENTS:**

<u>NO.</u>	<u>ITEM</u>	<u>QUANTITY</u>	<u>UNIT PRICE</u>	<u>AMOUNT</u>
1.	Mobilization, Cleanup, and Demobilization	1 LS	\$_____	\$_____
2.	Project Temporary Traffic Control	1 LS	\$_____	\$_____
3.	Erosion/Water Pollution Control	1 LS	\$_____	\$_____
4.	SPCC Plan	1 LS	\$_____	\$_____
5.	Trench Excavation Safety Systems	1 LS	\$_____	\$_____
6.	Removal of Structure and Obstruction	1 LS	\$_____	\$_____
7.	Excavation, Embankment and Grading, Incl. Haul	460 CY	\$_____	\$_____
8.	Pulverize Existing Asphalt	5,460 SY	\$_____	\$_____
9.	Cement Treated Base	4,480 SY	\$_____	\$_____
10.	Cement	170 TN	\$_____	\$_____
11.	Crushed Surfacing Repair	2,630 SY	\$_____	\$_____
12.	Commercial HMA for Pre-Leveling Class 1/2-Inch, PG 64H-28	140 TN	\$_____	\$_____
13.	Commercial HMA Class 1/2-Inch, PG 64H-28	530 TN	\$_____	\$_____
14.	Commercial HMA Pavement Repair, Type 2	360 SY	\$_____	\$_____
15.	Catch Basin, Type 1	17 EA	\$_____	\$_____
16.	Catch Basin, Type 2	1 EA	\$_____	\$_____
17.	Precast Concrete Drywell	8 EA	\$_____	\$_____
18.	Storm Sewer Pipe, 8-Inch. Diam. (Incl. Bedding)	370 LF	\$_____	\$_____

ADDENDUM 1

<u>NO.</u>	<u>ITEM</u>	<u>QUANTITY</u>	<u>UNIT PRICE</u>	<u>AMOUNT</u>
19.	Bank Run Gravel for Trench Backfill	100 TN	\$ _____	\$ _____
20.	Cement Conc. Traffic Curb and Gutter	1,010 LF	\$ _____	\$ _____
21.	Cement Conc. Rolled Curb and Gutter	1,560 LF	\$ _____	\$ _____
22.	Cement Conc. Pedestrian Curb	220 LF	\$ _____	\$ _____
23.	Cement Conc. Sidewalk	520 SY	\$ _____	\$ _____
24.	Cement Conc. Sidewalk Ramp	9 EA	\$ _____	\$ _____
25.	Cement Conc. Driveway Entrance	200 SY	\$ _____	\$ _____
26.	Adjust Manhole	2 EA	\$ _____	\$ _____
27.	Adjust Valve Box	11 EA	\$ _____	\$ _____
28.	Adjust Meter Box	1 EA	\$ _____	\$ _____
29.	Permanent Signing	1 LS	\$ _____	\$ _____
30.	Paint Line	140 LF	\$ _____	\$ _____
31.	Painted Stop Line	80 LF	\$ _____	\$ _____
32.	Painted Crosswalk	500 SF	\$ _____	\$ _____
33.	Cast-In-Place Monument	2 EA	\$ _____	\$ _____
34.	Controlled Density Fill	10 CY	\$ _____	\$ _____
Subtotal (Schedule A):				\$ _____
Washington State Sales Tax (0%)*:				\$ 0.00
TOTAL CONSTRUCTION COST (SCHEDULE A):				\$ _____

(Write the total construction cost amount in words)

*Per Washington State Revenue Rule 171 (See Special Provisions Section 1-07.5(2) and WAC 458-20-171)

Note: A bid must be received on all items. If any unit prices or extensions are left blank, they will be entered as \$0.00.

ADDENDUM 1**SCHEDULE B: COULEE BOULEVARD SIDEWALK IMPROVEMENTS:**

<u>NO.</u>	<u>ITEM</u>	<u>QUANTITY</u>	<u>UNIT PRICE</u>	<u>AMOUNT</u>
1.	Mobilization, Cleanup, and Demobilization	1 LS	\$_____	\$_____
2.	Project Temporary Traffic Control	1 LS	\$_____	\$_____
3.	Erosion/Water Pollution Control	1 LS	\$_____	\$_____
4.	SPCC Plan	1 LS	\$_____	\$_____
5.	Trench Excavation Safety Systems	1 LS	\$_____	\$_____
6.	Excavation, Embankment and Grading, Incl. Haul	410 CY	\$_____	\$_____
7.	Crushed Surfacing Repair	180 SY	\$_____	\$_____
8.	Compacted Common Borrow	270 TN	\$_____	\$_____
9.	Commercial HMA Pavement Repair, Type 1	235 SY	\$_____	\$_____
10.	Commercial HMA Pavement Repair, Type 2	370 SY	\$_____	\$_____
11.	Storm Sewer Pipe, 8-Inch. Diam. (Incl. Bedding)	160 LF	\$_____	\$_____
12.	Catch Basin, Type 1	9 EA	\$_____	\$_____
13.	Infiltration Trench	30 LF	\$_____	\$_____
14.	Precast Concrete Drywell	5 EA	\$_____	\$_____
15.	Catch Basin, Type 2	1 EA	\$_____	\$_____
16.	Service Connection, 3/4-Inch Diam.	1 EA	\$_____	\$_____
17.	Abandon Existing Meter	1 EA	\$_____	\$_____
18.	Cement Conc. Traffic Curb and Gutter	1,020 LF	\$_____	\$_____
19.	Cement Conc. Pedestrian Curb	150 LF	\$_____	\$_____

ADDENDUM 1

<u>NO.</u>	<u>ITEM</u>	<u>QUANTITY</u>	<u>UNIT PRICE</u>	<u>AMOUNT</u>
20.	Cement Conc. Driveway Entrance	100 SY	\$ _____	\$ _____
21.	Cement Conc. Sidewalk	590 SY	\$ _____	\$ _____
22.	Cement Conc. Curb Ramp	8 EA	\$ _____	\$ _____
23.	Landscaping Area	120 SY	\$ _____	\$ _____
24.	Permanent Signing	1 LS	\$ _____	\$ _____
25.	Paint Line	1,310 LF	\$ _____	\$ _____
26.	Painted Symbol	2 EA	\$ _____	\$ _____
27.	Plastic Crosswalk Line	120 SF	\$ _____	\$ _____
28.	Rectangular Rapid Flashing Beacons Signal System	1 LS	\$ _____	\$ _____

Subtotal (Schedule B): \$ _____

Washington State Sales Tax (0%)*: \$ 0.00

TOTAL CONSTRUCTION COST (SCHEDULE B): \$ _____

(Write the total construction cost amount in words)

*Per Washington State Revenue Rule 171 (See Special Provisions Section 1-07.5(2) and WAC 458-20-171)

Note: A bid must be received on all items. If any unit prices or extensions are left blank, they will be entered as \$0.00.

SCHEDULE C: WATER MAIN IMPROVEMENTS:

<u>NO.</u>	<u>ITEM</u>	<u>QUANTITY</u>	<u>UNIT PRICE</u>	<u>AMOUNT</u>
1.	Trench Excavation Safety Systems	1 LS	\$ _____	\$ _____
2.	Locate Existing Utilities	10 EA	\$ _____	\$ _____
3.	Controlled Density Fill	10 CY	\$ _____	\$ _____
4.	Foundation Material	10 CY	\$ _____	\$ _____
5.	Bank Run Gravel for Trench Backfill	100 CY	\$ _____	\$ _____

ADDENDUM 1

<u>NO.</u>	<u>ITEM</u>	<u>QUANTITY</u>	<u>UNIT PRICE</u>	<u>AMOUNT</u>
6.	Commercial HMA Repair, Type 2	170 SY	\$_____	\$_____
7.	Sod Installation	495 SY	\$_____	\$_____
8.	PVC Pipe for Water Main, 8-Inch Diameter, Including Bedding Material	1,550 LF	\$_____	\$_____
9.	PVC Pipe for Water Main, 12-Inch Diameter, Including Bedding Material	153 LF	\$_____	\$_____
10.	PVC Pipe for Fire Hydrant, 6-Inch Diameter, Including Bedding Material	75 LF	\$_____	\$_____
11.	Water Main Fittings	1 LS	\$_____	\$_____
12.	Additional Water Main Fittings	500 LB	\$_____	\$_____
13.	Additional Concrete Thrust Blocks	5 CY	\$_____	\$_____
14.	Gate Valve, 8-Inch	8 EA	\$_____	\$_____
15.	Gate Valve, 12-Inch	4 EA	\$_____	\$_____
16.	Fire Hydrant Assembly	3 EA	\$_____	\$_____
17.	Service Connection 3/4-Inch Diameter	25 EA	\$_____	\$_____
18.	Service Connection 2-Inch Diameter	1 EA	\$_____	\$_____
19.	Service Pipe, 1-Inch Diameter, Including Bedding Material	1,870 LF	\$_____	\$_____
20.	Service Pipe, 2-Inch Diameter, Including Bedding Material	30 LF	\$_____	\$_____
21.	Connection to Existing Water System	7 EA	\$_____	\$_____
22.	Crushed Surfacing Repair	165 SY	\$_____	\$_____

ADDENDUM 1

Subtotal (Schedule C): \$ _____

Washington State Sales Tax (7.9%): \$ _____

TOTAL CONSTRUCTION COST (SCHEDULE C): \$ _____

(Write the total construction cost amount in words)

Note: A bid must be received on all items. If any unit prices or extensions are left blank, they will be entered as \$0.00.

SCHEDULE D: FIRE STATION PARKING LOT IMPROVEMENTS:

<u>NO.</u>	<u>ITEM</u>	<u>QUANTITY</u>	<u>UNIT PRICE</u>	<u>AMOUNT</u>
1.	Excavation, Embankment and Grading, Incl. Haul	160 CY	\$ _____	\$ _____
2.	Pulverize Existing Asphalt	1,710 SY	\$ _____	\$ _____
3.	Cement Treated Base	1,630 SY	\$ _____	\$ _____
4.	Cement	60 TN	\$ _____	\$ _____
5.	Crushed Surfacing Top Course	290 TN	\$ _____	\$ _____
6.	Commercial HMA Class 1/2-inch, PG 64H-28	340 TN	\$ _____	\$ _____
7.	Paint Line	640 LF	\$ _____	\$ _____

Subtotal (Schedule D): \$ _____

Washington State Sales Tax (7.9%): \$ _____

TOTAL CONSTRUCTION COST (SCHEDULE D): \$ _____

(Write the total construction cost amount in words)

Note: A bid must be received on all items. If any unit prices or extensions are left blank, they will be entered as \$0.00.

BID SUMMARY

1. TOTAL CONSTRUCTION COST
(SCHEDULE A forwarded from page P-____):..... \$_____

2. TOTAL CONSTRUCTION COST
(SCHEDULE B forwarded from page P-____):..... \$_____

3. TOTAL CONSTRUCTION COST
(SCHEDULE C forwarded from page P-____):..... \$_____

4. TOTAL CONSTRUCTION COST
(SCHEDULE D forwarded from page P-____):..... \$_____

5. TOTAL CONSTRUCTION COST
(SCHEDULES A, B, C AND D COMBINED)..... \$_____

STATEMENT OF BIDDER'S QUALIFICATIONS

Name of Firm: _____

Address: _____

Telephone No. _____ Fax No. _____

Contact Person for this Project: _____

E-mail: _____

Number of years the Contractor has been engaged in the construction business under the present firm name, as indicated above:

Gross dollar amount of work currently under contract: _____

Gross dollar amount of contracts currently not completed: _____

General character of work performed by firm: _____

List of five major projects of a similar nature which have been completed by the Contractor within the last five years and the gross dollar amount of each project, together with the Owner's name and telephone number, and the Engineer's name:

Project Name	Amount	Owner	Phone	Engineer's Name

List five major pieces of equipment which are anticipated to be used on this project by the Contractor and note which items are owned by the Contractor and which are to be leased or rented from others:

ADDENDUM 1

Bank Reference: _____

How many general superintendents or other responsible employees in a supervisory position do you have at this time, and how long have they been with the firm?

Identify who will be the general superintendent and/or project superintendent on this project. Also, list the number of years each person identified has been with firm.

Have you changed bonding companies within the last three years? _____

If so, why? _____

Have you ever been a party to a lawsuit or an arbitration proceeding in any way relating to a construction project? _____

Identify the proceeding and parties and describe the claims asserted by all parties. _____

What was the disposition of the case? _____

Do you have any outstanding payments due to the Department of Revenue? _____

If yes, explain. _____

Bidder agrees that the Owner shall have the right to obtain credit reports.

Yes

No

ADDENDUM 1

WORK TO BE COMPLETED BY BIDDER

List the Work and the dollar amount thereof that the Contractor will complete with its forces, if awarded the contract.

Work to be Performed	Dollar Amount

PROPOSED SUBCONTRACTORS (Per RCW 39.30.060)

For Proposals exceeding one million dollars, indicate who (either the Contractor submitting this bid or a subcontractor) will be completing the work for each of the three categories listed below. Information shall include their Washington State Department of Licensing Contractor's Registration No. This information shall be provided with the Proposal or within one hour after the published Proposal submittal time in accordance with RCW 39.30.060.

Work to be Performed	Subcontractor or Prime (Name and Registration Number)
Heating, Ventilation and Air Conditioning	
Plumbing	
Electrical	

ADDENDUM 1

ADDENDA RECEIVED

Addendum No.	Date Received	Name of Recipient

NOTE: Bidder shall acknowledge receipt of all addenda. Bidder is responsible for verifying the actual number of addenda issued prior to submitting a Proposal.

Subject to any extensions of the Contract time granted under the Contract, the undersigned agrees to substantially complete the Work required under this Contract within 70 working days (the Substantial Completion Date) and to physically complete the Work required under this contract within 80 working days (the Physical Completion Date) from when Contract Time begins.

The undersigned has reviewed and fully understands the provisions in the Contract regarding liquidated damages and agrees that liquidated damages shall be \$1,000.00 per day for each and every working day beyond the Contract time allowed for substantial completion until the Substantial Completion Date is achieved and \$500.00 for each and every working day required beyond the Contract Time for physical completion until the Physical Completion Date is achieved.

The undersigned is, and will remain in, full compliance with all Washington State administrative agency requirements including, but not limited to registration requirements of Washington State Department of Labor & Industries for contractors, including but not limited to requirements for bond, proof of insurance and annual registration fee. The undersigned's Washington State:

Dept. of Labor and Industries Workman's Compensation Account No. is _____;
Dept. of Licensing Contractor's Registration No. is _____;
Unified Business Identifier Number is _____;
Excise Tax Registration Number is _____; and
Employment Security Account Number is _____.

The undersigned has reviewed all insurance requirements contained in the Contract and has verified the availability of and the undersigned's eligibility for all required insurance. The undersigned verifies that the cost for all required insurance, has been included in this Proposal.

In relation to claims related in whole or in part to workplace injuries to employees, the undersigned waives any immunity granted under the State Industrial Insurance Law, RCW Title 51. This waiver has been specially negotiated by the parties, which is acknowledged by the undersigned in signing this Proposal.

By signing the proposal, the undersigned declares, under penalty of perjury under the laws of the United States and the State of Washington, that the following statements are true and correct:

ADDENDUM 1

- 1. That the undersigned person(s) or entity(ies) has(have) not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of free competitive bidding in connection with the project for which this Proposal is submitted.
- 2. The bidder hereby certifies that, within the three-year period immediately preceding the bid solicitation date (June 5, 2019), that the bidder is not a “willful” violator, as defined in RCW 49.48.082, of any provision of chapters 49.46, 49.48, or 49.52 RCW, as determined by a final and binding citation and notice of assessment issued by the Department of Labor and Industries or through a civil judgment entered by a court of limited or general jurisdiction.

The undersigned agrees that the Owner is authorized to obtain information from all references included herein.

Sincerely,

Sign Name	Date
-----------	------

By: _____	_____
Print Name, Title	Location Executed (City, State)

Print Company Name

Amount of Proposal deposit: \$ _____ Check No. _____,

or Proposal bond in the amount of \$ _____

_____, issued through _____
Name of Bank/Bonding Company

located at _____
Mailing Address

Telephone Number of Bank/Bonding Company

DATE: JUNE 2019	SCALE: NOTED	ASC	MM
DRAWN: ASC	CHECKED: MW	APPROVED: MM	

ADDENDUM NO. 1	REVISION	DATE	APPD
1		6/19/2019	



GRAND AVE & WESTERN AVE DRIVEWAY SCHEDULE - SCH A



STREET	STATION	OFFSET TO				DRIVEWAY DETAIL	THROAT WIDTH @ BACK OF CURB "A" **	REPAIR TYPE BEHIND DRIVEWAY	REPAIR LENGTH "B"	NOTES
		FACE OF CURB	BACK OF ROLLED CURB	EDGE OF PAVEMENT	SIDE					
GRAND AVE	10+96.3			10.0'	RT	HMA DRWY ENT	15.0'	GRVL	14.8'	
	12+99.3			10.0'	LT	HMA DRWY ENT	19.9'	GRVL	5.0'	
	16+23.2		10.5'		LT	HMA DRWY ENT	15.0'	GRVL	5.0'	
	16+68.1		10.5'		LT	HMA DRWY ENT	40.0'	GRVL	5.0'	
	17+16.6		10.5'		RT	TYPE 1	15.0'	GRVL	5.0'	NO WINGS
	17+93.7		10.5'		RT	TYPE 1	17.2'	HMA	VARIES 6.1' TO 6.7'	NO WINGS
	18+91.1		10.5'		RT	TYPE 1	55.0'	GRVL	5.0'	NO WINGS
	20+42.4		10.5'		LT	HMA DRWY ENT	15.0'	GRVL	5.0'	
	20+58.5		10.5'		RT	TYPE 1	15.0'	GRVL	5.0'	NO WINGS
	21+00.0		10.5'		LT	HMA DRWY ENT	40.0'	GRVL	5.0'	
	21+08.7		10.5'		RT	TYPE 1	15.0'	GRVL	5.0'	NO WINGS
	21+84.1		10.5'		RT	TYPE 1	15.0'	GRVL	5.0'	NO WINGS
	24+06.1		10.6'		RT	TYPE 1	11.5'	CONC	VARIES 11.3' TO 12.1'	
	WESTERN AVE	101+62.8		11.5'		LT	HMA DRWY ENT	30.0'	GRVL	5.0'
	101+78.7		11.0'		RT	TYPE 1	158.8'	HMA	5.0'	FIRE STATION PARKING LOT
	102+30.7		11.5'		LT	HMA DRWY ENT	15.0'	GRVL	5.0'	

** WHEN THE DRIVEWAY WIDTH EXCEEDS 10 FEET, CONSTRUCT A FULL DEPTH EXPANSION JOINT. SEE STANDARD PLAN F-3 WITH 3/8" JOINT FILLER ALONG THE DRIVEWAY CENTERLINE.

COULEE BLVD (SR 155) DRIVEWAY SCHEDULE - SCH B


STREET	STATION	OFFSET TO				DRIVEWAY DETAIL	THROAT WIDTH @ BACK OF CURB "A" **	REPAIR TYPE BEHIND DRIVEWAY	REPAIR LENGTH "B"	NOTES
		FACE OF CURB	BACK OF ROLLED CURB	EDGE OF PAVEMENT	SIDE					
COULEE BLVD (SR 155)	202+77.7	0.0'			RT	TYPE 1	12.0'	HMA	5.0'	
	204+47.0	0.0'			RT	TYPE 1	26.3'	HMA	5.0'	
	206+33.7	0.0'			RT	TYPE 2	12.4'	CONC	5.1'	
	207+08.5	0.0'			RT	TYPE 1	26.1'	HMA	5.0'	
	300+93.6	0.0'			LT	TYPE 1	0.0'	HMA	5.0'	

** WHEN THE DRIVEWAY WIDTH EXCEEDS 10 FEET, CONSTRUCT A FULL DEPTH EXPANSION JOINT. SEE STANDARD PLAN F-3 WITH 3/8" JOINT FILLER ALONG THE DRIVEWAY CENTERLINE.



- NOTES:**
1. COMPACT NATIVE MATERIAL TO 95%.
 2. 6" CEMENT CONCRETE CLASS 4000.
 3. 2" COMPACTED CRUSHED SURFACING TOP COURSE FOR BASE. CRUSHED SURFACING MATERIAL BENEATH CONCRETE DRIVEWAY NOT SHOWN FOR CLARITY. ALL COSTS FOR THIS MATERIAL SHALL BE INCLUDED IN TO THE UNIT COST FOR DRIVEWAY ENTRANCE AS FOUND IN THE PROPOSAL.

HMA DRIVEWAY ENTRANCE
NTS




12" DIAMETER PIPE

A	6'
B	2'-6"
C	1.5'
D	4'
E	6'



PAYMENT LIMIT SCHEDULE

STORM PIPE TRENCH SECTION
NTS




- NOTES:**
1. CONTRACTOR SHALL PROVIDE CONTROLLED DENSITY FILL PIPE ENCASEMENT AT ALL EXISTING UTILITY CROSSINGS IN THE EVENT THAT AN 18" SEPARATION CANNOT BE PROVIDED. THE CONTRACTOR SHALL FAMILIARIZE THEMSELVES WITH THE SITE UTILITIES TO ANTICIPATE PROVIDING AND INSTALLING CONCRETE ENCASEMENTS WHERE NECESSARY. THIS SHALL ALSO APPLY AT NEW STORM DRAIN STRUCTURES NEAR EXISTING WATER MAINS.
 2. CONTRACTOR SHALL NOT CONSTRUCT ANY NEW PIPE JOINT WITHIN 10 FEET OF THE EXISTING CENTERLINE OF THE UTILITY CROSSING.

CONTROLLED DENSITY FILL PIPE ENCASEMENT
NTS




LANDSCAPING AREA SECTION
NTS




- NOTES:**
1. COMMERCIAL HMA PAVEMENT REPAIR, TYPE 1 SHALL BE FURNISHED AND INSTALLED FROM STA 200+20, 1.0'-4.0' LT TO STA 205+75, 1.0'-4.0' LT AND FROM STA 300+18, 1.0'-4.0' RT TO STA 301+40, 1.0'-4.0' RT ONLY (LIP OF GUTTER TO SAWCUT LINE WITHIN WSDOT R/W ONLY).


COMMERCIAL HMA PAVEMENT REPAIR, TYPE 1 DETAIL
NTS




COMMERCIAL HMA PAVEMENT REPAIR, TYPE 2 DETAIL
NTS



BUTT-JOINT DETAIL
NTS



CRUSHED SURFACING REPAIR DETAIL
NTS



SOD REPAIR DETAIL
NTS

L:\Electric City\18004 - Grand and Western Improvements 01 Design\PLANSET\G-SHEETS\DETAILS.dwg, 6/19/2019 11:52 AM, MICHAEL WOODKEY