

**ADDENDUM 2  
TO THE CONTRACT PROVISIONS AND CONTRACT PLANS**

**FOR**

**CITY OF ELECTRIC CITY  
2019 STREET IMPROVEMENTS  
G&O #18004/18058/18062**



**ISSUED THIS DATE: FRIDAY, JUNE 21, 2019**

**BID OPENING: 11:00 AM (LOCAL TIME) ON  
WEDNESDAY, JUNE 26, 2019  
CITY OF ELECTRIC CITY  
10 WESTERN AVENUE  
ELECTRIC CITY, WASHINGTON 99123**

**Bidder shall acknowledge receipt of this Addendum on Page P-12R of the Proposal.**

---

TO PROSPECTIVE BIDDERS:

The attention of all prospective bidders on the above project is directed to the following additions and modifications to the Contract Provisions and Contract Plans.

**I. ADDITIONS, MODIFICATIONS, AND/OR DELETIONS TO THE PROPOSAL**

**ITEM 1:**

Page P-5R, Proposal

On Schedule C, Bid Item No. 5, Bank Run Gravel for Trench Backfill, **DELETE** the quantity “100 CY” and **REPLACE** with the following:

“100 TN”

**II. ADDITIONS, MODIFICATIONS, AND/OR DELETIONS TO THE SPECIAL PROVISIONS**

**ITEM 1:**

Page 2-15, Special Provisions Section 2-09.3(5), Locating Utilities

**ADD** the following after the first paragraph of this section:

“The Contractor shall locate existing utilities by exploratory excavation prior to construction that will be specifically identified by the Engineer to be in conflict with the location of the new construction. The Contracting Agency anticipates the number of locations to be the quantity shown in the

proposal. The Contractor shall be responsible for locating any and all additional utilities at no additional cost to the Contracting Agency.

Should utility location service(s) mark additional utilities in the field that are not shown on the Plans, the Contractor shall notify the Engineer and receive approval from the Contracting Agency prior to locating this unknown utility. The Contractor will be paid for locating this unknown utility under the bid item for "Locate Existing Utility" as specified herein."

**ITEM 2:**

Page 2-16, Special Provisions Section 2-09.4, Measurement

**ADD** the following after the last paragraph of this section:

"Measurement for Locate Existing Utilities will be per each."

**ITEM 3:**

Page 2-16, Special Provisions Section 2-09.5, Payment

**ADD** the following after the last paragraph of this section:

"Locate Existing Utilities," per each.

The unit contract price per each for "Locate Existing Utilities" shall constitute full compensation all labor, materials, tools, equipment, transportation, supplies, and incidentals required to complete all work to furnish and install this item, to pothole and locate existing utilities as agreed to with the Engineer. Each locate shall consist of a pothole that is plus or minus five feet from the utility location shown on the Plans and to the depth of one foot below the proposed bottom of the new construction. The Contractor shall receive approval from the Contracting Agency for each pothole location prior to beginning any work for this bid item."

**ITEM 4:**

Page 7-7, Special Provisions Section 7-08.4, Measurement

**ADD** the following after the last paragraph of this section:

"Measurement for "Foundation Material" will be per cubic yard, compacted and installed to the limits agreed to in the field by the Engineer."

**ITEM 5:**

Page 7-8, Special Provisions Section 7-08.5, Payment

**ADD** the following after the last paragraph of this section:

““Foundation Material,” per cubic yard.

The unit contract price per cubic yard for Foundation Material, if any, shall include all costs necessary for the labor, equipment, tools, and materials to furnish and place the compacted material in pipe trenches and under structures except as otherwise noted herein, and shall include the cost of the additional excavation required in order to provide space for this material and wastehauling of native material.”

**ITEM 6:**

Page 7-20, Special Provisions Section 7-12, Valves for Water Mains

**ADD** the following at the beginning of this section:

**“7-12.2 Materials**  
(\*\*\*\*\*)

“Gate Valves,”

Gate valves shall be resilient wedge non-rising stem (NRS) and shall meet the requirements of AWWA C509. Stem seals shall be O-ring type. Buried Valves shall be provided with a 2-inch square operating nut while exposed valves shall be provided with hand wheels. Gate valves shall be Mueller, M&H, Kennedy, or approved equal.”

**III. ADDITIONS, MODIFICATIONS, AND/OR DELETIONS TO THE CONTRACT PLANS**

**ITEM 1:**

**SHEET 30, WATER MAIN DETAILS – SCH C**

On the 3/4" WATER SERVICE detail, **REVISE** Note 1 as shown below (added text is italicized, deleted text is shown as strike out):

“SERVICE *PIPE* FROM METER BOX TO HOUSE ~~BY PROPERTY OWNER~~ SHALL BE AS SHOWN ON THE PLANS”

On the 2" WATER SERVICE detail, **REVISE** Note 1 as shown below (added text is italicized, deleted text is shown as strike out):

“SERVICE *PIPE* FROM METER BOX TO HOUSE ~~BY PROPERTY OWNER~~ SHALL BE AS SHOWN ON THE PLANS”